

19 (Original) The method of claim 1, wherein the deglycosylated ricin A-chain is incompletely deglycosylated.

20. (Original) The method of claim 19, wherein mannose and fructose are absent from the deglycosylated ricin A-chain.

21. (Original) The method of claim 17, wherein the amount is an immunogenic amount.

22. (Original) The method of claim 21, wherein the immunogenic amount is about 0.1 μ g to about 10.0 μ g per about 20 g to about 25 g of the weight of the subject.

23. (Currently amended) The method of claim 17, wherein two doses ~~an immunogenic amount of a~~ of the deglycosylated ricin A-chain are administered to the subject.

24. (Original) The method of claim 17, further comprising administering an adjuvant to the subject.

25. (Original) A method for providing neutralizing antibodies against ricin toxin or preventing ricin intoxication in a subject comprising administering at least two doses of an immunogenic amount of a chemically deglycosylated ricin A-chain to the subject.

26. (Original) The method of claim 25, wherein the chemically deglycosylated ricin A-chain is incompletely deglycosylated.

27. (Original) The method of claim 26, wherein mannose and fructose are absent from the chemically deglycosylated ricin A-chain.

28-39. Canceled.

40. (New) The method of claim 17, wherein the amount of deglycosylated ricin A-chain is administered in the form of a vaccine, an immunogenic composition, or a pharmaceutical composition.

41. (New) The method of claim 40, wherein the deglycosylated ricin A-chain is incompletely deglycosylated.

42. (New) The method of claim 40, wherein the deglycosylated ricin A-chain is chemically deglycosylated.

43. (New) The method of claim 40, wherein mannose and fructose are absent from the deglycosylated ricin A-chain.

44. (New) The method of claim 40, wherein two doses of the vaccine, the immunogenic composition or the pharmaceutical composition provides neutralizing antibodies in a subject.

45. (New) The method of claim 40, wherein two doses of the vaccine, the immunogenic composition or the pharmaceutical composition prevents ricin intoxication in a subject.

46. (New) The method of claim 40, wherein the vaccine, the immunogenic composition or the pharmaceutical composition further comprises an adjuvant.